# EXHIBIT 1

# **Greenberg Traurig**

Frank E. Merideth, Jr. Tel. 310.586.7825 Fax 310.586.0275 MeridethF@gtlaw.com

March 29, 2007

#### VIA EMAIL AND FIRST CLASS MAIL

Lora Brzezynski McKenna Long & Aldridge LLP 1900 K Street, N.W. Washington, D.C. 20006

Re: LG. Philips, LCD Co., Ltd v. Tatung Company

Dear Lora:

Enclosed is a draft of the Declaration for Ms Rudich that we discussed. Please call or email me with your comments to this draft. It is my hope that we can reach agreement on a declaration from Ms. Rudich along these lines in lieu of a deposition.

Very truly yours,

Frank E. Merideth, Jr.

FEM:cdb

cc: Rel Ambrozy (via email)

Cass W. Christenson (via email)

Richard Kirk (via email)

Mark Krietzman (via email)

Valerie Ho (via email)

Steve Hassid (via email)

Scott Miller (via email)

James Heisman (via email)

VIRVNA

AMSTERDAM

ATLANTA BOCA RATON

....

BUSTON

BRUSSELS:

DALLAS

DELAWARE

DENVER

FORT FAUDERDALE

HOUSTON

ENSIVEGAS

HONDOW.

TOS ANGELES

МІДМІ

MILAN

NEW JERSLY

\*1 \*\* }[ 15 16 16 1

ORANGE COUNTY

ORLANIX

PHILADELPHIA

PHOENIX

SACRAMENTO

SHEON VARIETY

TATLAHASSEE

TAMPA

'OFYO'

TYSONS CORNER

WASHING!ON 191

WEST PALM BEACH

ZHRICH

in mail of The Hollands and Colors

www.gtlaw.com

# IN THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF DELAWARE

LG.PHILIPS LCD CO., LTD.,

CIVIL ACTION NO. 04-343

Plaintiff,

v.

TATUNG CO.;
TATUNG COMPANY OF AMERICA,
INC.; AND VIEWSONIC CORPORATION

Defendants.

#### **DECLARATION OF REBECCA GOLDMAN RUDICH**

- I, Rebecca G. Rudich, declare:
- 1. I am a partner of the law firm McKenna, Long & Aldridge. I am a registered U.S. Patent Attorney, registration number 41,786. I am one of the attorneys for LG Philips LCD, Ltd that is responsible for prosecution of United States Patent Application 11/096,079 (the '079 Application').
- 2. The '079 Application currently is pending in the United States

  Patent Office ("PTO"). A copy of the PAIR Bibliographic Data for the '079

  Application is attached as Exhibit A.
- 3. The '079 Patent Application is a continuation application of the 6,501,641 the subject of the above entitled action and shares the same written specification.

Filed 08/01/2007

- In connection with the '079 Application, I received the Office 4. Action from the PTO Examiner, dated December 19, 2005, attached hereto as Exhibit B.
- 5. In connection with that Office Action, on June 19, 2006, I filed a Response on behalf of LG Philips LCD, the 3 page "Remarks" portion of that Response is attached hereto as Exhibit C.
- 6. Prior to filing my Response (Exhibit C) I had examined an actual device referred to in Exhibits B and C as the IBM 9516.
- 7. The photographs attached as Exhibits D and E depicted an IBM 9516.
- 8. The IBM 9516 is also graphically depicted in LPL productions LPL 05593 and LPL 05594 attached as exhibits F and G, respectively.
- 9. My examination of an IBM 9516 included locating the element identified in my Remarks (Exhibit C) as a "Rear Tray" in the IBM 9516 product.
- 10. Exhibits H and I show partially disassembled IBM 9516 product.
- The "Rear Tray" identified in my Remarks (Exhibit C) 11. corresponds to the element marked "Rear Tray" in Exhibits H and I.

- 12. To inspect the "Rear Tray" I removed screws that "went through the rear surface of the rear tray and attach[ed] to the front housing."

  The front housing is the "Front Housing" identified in Exhibits D, H and I as "Front Housing".
- 13. The element identified in Exhibits D, H and I as "LCD module" corresponds to an LCD module in the IBM 9516 product.
- 14. The element identified in Exhibits E and H as "Back Cover" corresponds to the Back Cover of the IBM 9516 product.

I declare under penalty of perjury under the laws of the United States of America that the foregoing is true and correct. Executed this \_\_ day of April, 2007 at Washington, DC.

Rebecca G. Rudich	

Page 5 of 30

**EXHIBIT A** 

Portable computer and method for mounting a flat panel display device 03-27-11/096,079 thereon 2007::22:02:10 **Bibliographic Data** Customer Application Number: 11/096,079 Number: Filing or 371 (c) 04-01-2005 Status: Non Final Action Mailed Date: Application Type: Utility Status Date: 02-16-2007 Examiner Name: CHANG, YEAN HSI **ELECTRONIC** Location: Group Art Unit: 2835 Location Date: Confirmation **Earliest** 5046 US 2005-0168930 A1 **Publication No:** Number: Attorney Docket **Earliest** 8733.042.21 08-04-2005 Publication Date: Number: Class / Subclass: 361/683 Patent Number: First Named Issue Date of Jong Kim, Kyunggi-Do, (KR) Inventor: Patent: Portable computer and method for mounting a flat panel display device Title of Invention: thereon

**Close Window** 

**EXHIBIT B** 

Case 1:04-cv-00343-JJF Document 744-2 Filed 08/01/2007 Page 9 of 30

### UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
11/096,079	04/01/2005	Jong Hwan Kim	8733.042.21	5046
7590 12/19/2005 MCKENNA LONG & ALDRIDGE LLP		EXAMINER		
		CHANG, YEAN HSI		
Song K. Jung 1900 K Street, I	N.W.		ART UNIT	PAPER NUMBER
Washington, D	C 20006		283.5	
			DATE MAILED: 12/19/2009	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Case 1:04-cv-00343-JJF Doc	cument 744-2 Filed 08/	/01/2007 Page 10 (	of 30
	Vase 1.07 UV GOG 10 GG.	Application No.	Applicant(s)	01 00
		11/096,079	KIM ET AL.	
	Office Action Summary	Examiner	Art Unit	
		Yean-Hsi Chang	2835	
Period f	The MAILING DATE of this communication Reply	don appears on the cover sheet v	vith the correspondence ad	dress
WHII - Extended - If No Faile - Any	HORTENED STATUTORY PERIOD FOR ICHEVER IS LONGER, FROM THE MAIL ensions of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communities to period for reply is specified above, the maximum statutor fure to reply within the set or extended period for reply will, if y reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNI 7 CFR 1.136(a). In no event, however, may a size period will apply and will expire SIX (6) MOI by statute, cause the application to become A	IICATION.  reply be timely filed  WITHS from the mailing date of this co ABANDONED (35 U.S.C. § 133).	
Status		•		
1)⊠	Responsive to communication(s) filed or	on <i>01 April 2005</i> .		
•		☐ This action is non-final.		
	· · · · · · · · · · · · · · · · · · ·		tters, prosecution as to the	merits is
	closed in accordance with the practice u			
Disposit	tion of Claims			
4)⊠	Claim(s) 56-65 is/are pending in the app	olication.		
	4a) Of the above claim(s) is/are w			
	Claim(s) is/are allowed.			
6)⊠	Claim(s) <u>56-65</u> is/are rejected.			
7)	Claim(s) is/are objected to.			
8)	Claim(s) are subject to restriction	and/or election requirement.		
Applicati	tion Papers			
9)[	The specification is objected to by the Ex	kaminer.		
10)🖂	The drawing(s) filed on 01 April 2005 is/a	are: a)⊠ accepted or b)□ obje	cted to by the Examiner.	
	Applicant may not request that any objection	· · · · · ·	•	
	Replacement drawing sheet(s) including the			R 1.121(d).
11)	The oath or declaration is objected to by		- · · · · · · · · · · · · · · · · · · ·	, ,
Priority L	under 35 U.S.C. § 119			
12)🛛	Acknowledgment is made of a claim for fo	foreign priority under 35 U.S.C.	8 119(a)-(d) or (f).	
_	☑ All b) ☐ Some * c) ☐ None of:	The state of the s	3 ( ) ( ) ( ) ( ) ( ) ( ) ( )	
•	1. Certified copies of the priority docu	uments have been received.		
	2. Certified copies of the priority docu		Application No. <u>10/787,933</u>	·
	3. Copies of the certified copies of th			•
	application from the International E	Bureau (PCT Rule 17.2(a)).		_
* S	See the attached detailed Office action for	r a list of the certified copies not .	received.	
uttachmeni		_		
	ce of References Cited (PTO-892)	4) Interview S	Summary (PTO-413)	
	te of Draftsperson's Patent Drawing Review (PTO-9- mation Disclosure Statement(s) (PTO-1449 or PTO/		s)/Mail Date nformal Patent Application (PTO-	152)
	r No(s)/Mail Date 4/1.5/11.9/13/05.	6) Other:		,

Page 2

Application/Control Number: 11/096,079

Art Unit: 2835

### **DETAILED ACTION**

#### Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 56-65 are rejected under 35 U.S.C. 103(a) as being unpatentable over IBM color display (IBM 9516-A03) in view of Yun et al. (US 5,835,139).

IBM color display teaches a flat panel display device mounted to a housing (figure on page 5) including a front part and a rear part (shown in figure on page 9), wherein the flat panel display device is fixed to the rear part of the housing with a fastening part (2) comprising a fastening hole at the rear surface and within a lateral boundary of the flat panel display device, and a screw (as shown in figure on page 9).

IBM color display fails to indicate the details of the flat panel display device.

Yun teaches a flat panel display device (fig. 6) comprising: a flat display panel (a LCD panel 300), a backlight (110), a light guide (130), a reflector plate (140), a first frame (190), and a second frame (400), wherein the flat display panel is between the first frame and the second frame (shown in fig. 6), and wherein the first frame is positioned substantially to the rear of the backlight (shown in fig. 6).

Page 3

Application/Control Number: 11/096,079

Art Unit: 2835

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the device of the IBM color display with the flat display panel taught by Yun for a complete information of the flat panel display device.

#### Double Patenting

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 56-65 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 83-84, 88 and 92-93 of copending Application No. 10/787,933. Although the conflicting claims are not identical, they are not patentably distinct from each other because same subject matters

Page 4

Application/Control Number: 11/096,079

Art Unit: 2835

are claimed with some different terminologies, such as: a flat panel display device vs. a flat panel display apparatus, and a housing vs. a case.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

#### Conclusion

5. Please be notified that the IDS submitted 4/1/05 includes 10 pages of tables, three of which are not considered since they are not in form-1449.

#### Correspondence

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yean-Hsi Chang whose telephone number is (571) 272-2038. The examiner can normally be reached on 07:30 - 16:00, Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the Art Unit phone number is (571) 272-2800, ext. 35. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications

Page 5

Application/Control Number: 11/096,079

Art Unit: 2835

is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-8558.

Yean-Hsi Chang Primary Examiner Art Unit: 2835 December 8, 2005

> YEAN-HSI CHANG PRIMARY EXAMINER

Case 1:04-cv-00343-JJF Document 744-2 Filed 08/01/2007 Page 15 of 30

## EXHIBIT C

Application No.: 11/096,079 Docket No.: 8733.042.21

Amdt. dated June 19, 2006

Reply to Office Action dated December 19, 2006

#### REMARKS

At the outset, the Examiner is thanked for the thorough review and consideration of the pending application. The Office Action dated December 19, 2006, has been received and its contents carefully reviewed.

Claims 56, 60 and 65 are hereby amended; and claims 66-69 are hereby added. Accordingly, claims 56-69 are currently pending. Reexamination and reconsideration of the pending claims is respectfully requested.

In the Office Action, claims 56-65 are rejected under 35 U.S.C. § 103(a) as being unpatentable over IBM color display (IBM 9516-A03)(hereinafter "IBM 9516") in view of U.S. Patent No. 5,835,139 to Yun et al. (hereinafter "Yun"). Claims 56-65 are also provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 83-84, 88 and 92-93 of copending Application No. 10/787,933 (hereinafter "the '933 application").

In the Office Action, the Examiner states "IBM color display teaches a flat panel display device . . . wherein the flat panel display device is fixed to the rear part of the housing with a fastening part (2) comprising a fastening hole at the rear surface and within a lateral boundary of the flat panel display device." Applicants note that this statement is incorrect for several reason. That is, IBM 9615 does not teach or suggest "the flat display panel . . . between the first frame and the second frame, the first frame including a fastening part behind the display area at a rear surface of the first frame . . . the first frame being fixed to the rear part of the housing with the fastening part at the rear surface of the first frame," as recited by at least independent claim 56 of the present application. The IBM 9516 is a front mounted display. That is, the flat panel display of the IBM 9516 is mounted by screws that go through the rear surface of the rear tray and attach to the front housing. So, nothing in the IBM 9516 teaches or suggests the first frame being fixed to the rear part of the housing. Applicants refer the Examiner to the cited figure on page 9 of the IBM 9516 reference. At best, the figure shows the screws (2) go through the back cover from the back to the front. There is no teaching or suggestion that there is any fixing at the first frame. And in fact, in the physical device, the fixing occurs at the front housing of the IBM 9516.

Application No.: 11/096,079 Docket No.: 8733.042.21

Amdt. dated June 19, 2006

Reply to Office Action dated December 19, 2006

Yun fails to cure these deficiencies in the IBM 9516. Therefore, Applicants submit that claim 56, and claims 57-59 and 66-67, which depend from claim 56, are allowable over the cited references.

Moreover, IBM 9615 does not teach or suggest "a fastener fixing the rear frame to the rear portion of the housing using the fastening hole associated with the rear surface of the rear frame, wherein the flat display panel and the backlight are disposed between the front and rear frames and wherein the fastener is behind the display area," as recited by at least independent claim 60 of the present application. As discussed above with respect to claim 56, the flat panel display of the IBM 9516 is mounted by screws that go through the rear surface of the rear tray and attach to the front housing. So, nothing in the IBM 9516 teaches or suggests a fastener fixing the rear frame to the rear portion of the housing using the fastening hole associated with the rear surface of the rear frame. Applicants refer the Examiner to the cited figure on page 9 of the IBM 9516 reference. At best, the figure shows the screws (2) go through the back cover from the back to the front. There is no teaching or suggestion that there is any fixing of the rear frame to the rear portion of the housing using the fastening hole associated with the rear surface of the rear frame. And in fact, in the physical device, there is no such fixing of the rear frame to the rear portion of the housing of the IBM 9516.

Yun fails to cure these deficiencies in the IBM 9516. Therefore, Applicants submit that claim 60, and claims 61-65 and 68-69, which depend from claim 60, are allowable over the cited references.

Applicants acknowledge the provisional obviousness double patenting rejection of claims 56-65 over the copending '933 application. Applicants note that the claim amendments made herein and the claim amendments recently made in the '933 application render the provisional obviousness double patenting rejection moot.

Applicants believe the foregoing amendments place the application in condition for allowance and early, favorable action is respectfully solicited.

If for any reason the Examiner finds the application other than in condition for allowance, the Examiner is requested to call the undersigned attorney at (202) 496-7500 to

Application No.: 11/096,079

Amdt. dated June 19, 2006

Reply to Office Action dated December 19, 2006

discuss the steps necessary for placing the application in condition for allowance. All correspondence should continue to be sent to the below-listed address.

If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time, or any other fees required to complete the filing of this response, may be charged to Deposit Account No. 50-0911. Please credit any overpayment to deposit Account No. 50-0911. A duplicate copy of this sheet is enclosed.

Dated: June 19, 2006

Respectfully submitted,

Rebecca G. Rudich / Registration No.: 41,786

McKENNA LONG & ALDRIDGE LLP


Docket No.: 8733.042.21

1900 K Street, N.W. Washington, DC 20006

(202) 496-7500

Attorney for Applicant

### **EXHIBIT D**



**EXHIBIT "D"** 

**EXHIBIT E** 



EXHIBIT "E"

**EXHIBIT F** 

Locations - Connecting the Interface Cables (9516 Axx/Bxx)


Page 1 of 3



### Locations - Connecting the Interface Cables (9516 Axx/Bxx)

Locations - Connecting the Interface Cables
The following identifies the major parts of the IBM 9516-A03 Color LCD Display.

Front View



Rear View


http://inf33-www.informatik:unibw-muenchen.de/infothek/computer/tutorial/eprmhtml/epr... 11/8/2004

Case 1:04-cv-00343-JJF Document 744-2 Filed 08/01/2007 Page 25 of 30

## **EXHIBIT G**

Locations - Connecting the Interface Cables (9516 Axx/Bxx)

Page 2 of 3



#### Connecting the Interface Cables

- Turn off the PC or Workstation and all attached devices.
- Remove the cover at the rear of the 9516 monitor.
- Connect the video interface cables of the PC or Workstation to the monitor. Connect red, green, and blue interface cables to the connectors of the same color on the

Also, if the cable has 5 BNCs, connect the H-sync and V-sync interface cable to the corresponding 9516 display connectors.

See <u>Yideo</u> Cables for the part numbers and more information about the cables.

- Position the ends of the cables in front of the connectors.
- B. Plug in the cables to the connectors. Push and twist the ends of the cables until they are firmly locked to the connectors.
- 4. If you use standby mode and there is no power-saving function in the computer, you need to connect the optional keyboard/mouse Y-cable (P/N 82H8627), the keyboard and the mouse to the 9516 display.

If you use DPMS function, you do not need to connect the optional keyboard/mouse Y-cable.


NOTE: If the computer is a SUN or HP workstation, you cannot connect the optional keyboard/mouse Y-cable, because the power-saving function is not supported.

- A. Disconnect the keyboard from the PC or RS/6000, then connect it to the keyboard connector at the rear of the 9516 monitor.
- B. Disconnect the mouse from the PC or RS/6000, then connect it to the mouse connector at the rear of the 9516 monitor.
- C. Connect the keyboard/mouse Y-cable (optional) to the Y-cable connector at the rear of

http://inf33-www.informatik.unibw-muenchen.de/infothek/computer/tutorial/eprmhtml/epr... 11/8/2004

Case 1:04-cv-00343-JJF Document 744-2 Filed 08/01/2007 Page 27 of 30

### **EXHIBIT H**



**EXHIBIT "H"** 

### **EXHIBIT I**




EXHIBIT "I"